

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 06/09/2015

Revision Date: 06/09/2015

1 Identification

- **Product identifier**

- **Trade name: Auto Remarketing Ultrasonic Cleaning Solution**

- **Part number:** 590260
 - **Application of the substance / the mixture**
Deodorizer for automobile air conditioning system

- **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

UView Ultraviolet Systems Inc., division of, CPS Products Canada Ltd.
1324 Blundell Road
Mississauga, ON, L4Y 1M5
Canada
Phone: (905) 615-8620

- **Emergency telephone number:**

CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

2 Hazard(s) identification

- **Classification of the substance or mixture**


The product is not classified according to the Globally Harmonized System (GHS).

- **Label elements**

- **GHS label elements** Not Applicable
 - **Hazard pictograms** Not Applicable
 - **Signal word** Not Applicable
 - **Hazard statements** Not Applicable
 - **Additional information:** For Professional Use Only

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 0
Fire = 0
Reactivity = 0

- **HMSI-ratings (scale 0 - 4)**



HEALTH 0 Health = 0
FIRE 0 Fire = 0
REACTIVITY 0 Reactivity = 0

- **Other hazards**

- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture: consisting of the following hazardous components.

- **Chemical components:**

57-55-6	propane-1,2-diol	2.5-<10%
67-63-0	propan-2-ol	2.5-<10%
85409-23-0	C12-C14-Alkyl(ethylbenzyl)dimethylammonium chloride	0.1-<0.25%

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 06/09/2015

Revision Date: 06/09/2015

Trade name: Auto Remarketing Ultrasonic Cleaning Solution

7758-19-2 sodium chlorite

(Contd. of page 1)

0.1-<1%

4 First-aid measures

- **Description of first aid measures**

- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Wash with water. If skin irritation occurs, get medical attention.
- **After eye contact:**
Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **Information for doctor:** Treat Systematically
 - **Most important symptoms and effects, both acute and delayed**
May cause eye irritation. Symptoms may include discomfort or pain, excessive blinking and tear production, with possible redness and swelling.
May cause respiratory tract irritation.
May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
 - **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
 - **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** See section 10 for additional information.
- **Advice for firefighters**
 - **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Keep people at a distance and stay upwind.
Avoid breathing vapors.
Avoid eye contact. Avoid repeated or prolonged skin contact.
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Isolate spill or leak area immediately.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

US

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 06/09/2015

Revision Date: 06/09/2015

Trade name: Auto Remarketing Ultrasonic Cleaning Solution

(Contd. of page 2)

7 Handling and storage

- **Handling:**
 - **Precautions for safe handling**
Use only in well ventilated areas.
Use good personal hygiene practices
 - **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:**
See section 10 for incompatible materials.
 - **Information about storage in one common storage facility:**
Store in a cool dry place in tightly closed containers.
 - **Further information about storage conditions:**
Keep receptacle tightly sealed.
Keep from freezing.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

57-55-6 propane-1,2-diol (2.5-<10%)

WEEL	TWA: 10 mg/m ³
------	---------------------------

67-63-0 propan-2-ol (2.5-<10%)

PEL	TWA: 980 mg/m ³ , 400 ppm
REL	STEL: 1225 mg/m ³ , 500 ppm TWA: 980 mg/m ³ , 400 ppm
TLV	STEL: 984 mg/m ³ , 400 ppm TWA: 492 mg/m ³ , 200 ppm BEI

- **Ingredients with biological limit values:**

67-63-0 propan-2-ol (2.5-<10%)

BEI	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)
-----	---

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

- Do not inhale dust / smoke / mist.
- Clean skin thoroughly immediately after handling the product.
- Ensure good ventilation/exhaustion at the workplace.

- **Breathing equipment:**

- Not necessary if room is well-ventilated.
- Use suitable respiratory protective device only when aerosol or mist is formed.
- Short term filter device:
Filter AX

(Contd. on page 4)

US

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 06/09/2015

Revision Date: 06/09/2015

Trade name: Auto Remarketing Ultrasonic Cleaning Solution

(Contd. of page 3)

· **Protection of hands:**



Chemical resistant protective gloves

· **Eye protection:**



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

- **Form:** Liquid
- **Color:** Light blue
- **Odor:** lemon scent
- **Odour threshold:** Not determined.

· **pH-value at 20 °C (68 °F):** 9

· **Change in condition**

- **Melting point/Melting range:** Undetermined.
- **Boiling point/Boiling range:** 185 °C (365 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 371 °C (700 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

- **Lower:** Not determined.
- **Upper:** Not determined.

· **Vapor pressure:** Not determined.

· **Density at 20 °C (68 °F):** 1 g/cm³ (8.345 lbs/gal)

- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

- **Dynamic:** Not determined.
- **Kinematic:** Not determined.

(Contd. on page 5)

US

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 06/09/2015

Revision Date: 06/09/2015

Trade name: Auto Remarketing Ultrasonic Cleaning Solution

(Contd. of page 4)

· Solvent content:	
· Organic solvents:	8.5 %
· VOC content:	8.5 %
· Solids content:	0.3 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity**
 - **Chemical stability**
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Oxidizing agents
- **Incompatible materials:**
Strong Oxidizers
Reducing agents
- **Hazardous decomposition products:**
Smoke, carbon monoxide, carbon dioxide and other products of incomplete combustion.

11 Toxicological information

- **Information on toxicological effects**
 - **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	20619 mg/kg
Dermal	LD50	25000 mg/kg
Inhalative	LC50/4 h	1053 mg/l (rat)

57-55-6 propane-1,2-diol

Oral	LD50	2000 mg/kg (rat)
Dermal	LD50	20800 mg/kg (rabbit)

67-63-0 propan-2-ol

Oral	LD50	5045 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

85409-23-0 C12-C14-Alkyl(ethylbenzyl)dimethylammonium chloride

Oral	LD50	500 mg/kg (ATE)
Dermal	LD50	1100 mg/kg (ATE)

7758-19-2 sodium chlorite

Oral	LD50	100 mg/kg (ATE)
Dermal	LD50	50 mg/kg (ATE)

- **Primary irritant effect:**
 - **on the skin:**
May cause mild skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.

(Contd. on page 6)

US

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 06/09/2015

Revision Date: 06/09/2015

Trade name: Auto Remarketing Ultrasonic Cleaning Solution

(Contd. of page 5)

- **on the eye:** May cause eye irritation.
- **Inhalation:** May cause respiratory tract irritation.
- **Ingestion:**
May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
- **Sensitization:** No sensitizing effects known.
- **Route of Exposure** Inhalative, eye
- **Additional toxicological information:**
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)		
67-63-0	propan-2-ol	3
7758-19-2	sodium chlorite	3
· NTP (National Toxicology Program)		
None of the ingredients is listed.		
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

12 Ecological information

- **Toxicity**
 - **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
 - **Other information:** The product is easily biodegradable.
- **Behavior in environmental systems:**
 - **Bioaccumulative potential** No further relevant information available.
 - **Mobility in soil** Not Determined
- **Additional ecological information:**
 - **General notes:**
Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
 - **Recommendation:** Disposal must be made according to official regulations.

US

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 06/09/2015

Revision Date: 06/09/2015

Trade name: Auto Remarketing Ultrasonic Cleaning Solution

(Contd. of page 6)

14 Transport information

· UN-Number · DOT, IMDG, IATA	Not Regulated
· UN proper shipping name · DOT, IMDG, IATA	Not Regulated
· Transport hazard class(es) · DOT, IMDG, IATA · Class	Not Regulated
· Packing group · DOT, IMDG, IATA	Not Regulated
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

67-63-0 propan-2-ol

1336-21-6 ammonia

· **TSCA (Toxic Substances Control Act):**

57-55-6 propane-1,2-diol

67-63-0 propan-2-ol

68391-01-5 Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides

7758-19-2 sodium chlorite

497-19-8 sodium carbonate

9003-11-6 Polyethylene-polypropylene glycol

1336-21-6 ammonia

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 06/09/2015

Revision Date: 06/09/2015

Trade name: Auto Remarketing Ultrasonic Cleaning Solution

(Contd. of page 7)

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

7758-19-2	sodium chlorite	D, CBD
-----------	-----------------	--------

· **TLV (Threshold Limit Value established by ACGIH)**

67-63-0	propan-2-ol	A4
---------	-------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements** Not Applicable
- **Hazard pictograms** Not Applicable
- **Signal word** Not Applicable
- **Hazard statements** Not Applicable

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Contact:** Engineering Department

· **Issue Date** June 9, 2015

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent

US