Issue date: 11.09.2015

Version 1

Revision: 11.09.2015

SECTION 1: Identi undertaking	ification of the substance/mixture and of the company/
· 1.1 Product identifier	
· Product name: Dies	selTune EGR and Induction System Cleaner
 Part number: 400 Application of the 	0-0280 e substance / the mixture Diesel EGR and Induction System Cleaner
Manufacturer/Suppl Motorvac, division of, 1324 Blundell Road Mississauaga, ON, La Canada Phone: (905) 615-862	CPS Products Canada Ltd. 4Y 1M5
· 1.4 Emergency telepho	one number: CHEMTREC International +1 (703) 527-3887 24 hr
SECTION 2: Hazard	as identification
· 2.1 Classification of the	
	rding to Regulation (EC) No 1272/2008
Skin Irrit. 2 H315 Ca	
•	auses serious eye irritation.
Carc. 2 H351 Su	ispected of causing cancer.
· Signal word War	nina
· Hazard statemen	5
H315 Causes skir	
H319 Causes seri H351 Suspected of	
· Precautionary st	
P201 P280 P305+P351+P338	Obtain special instructions before use. Wear protective gloves/protective clothing/eye protection/face protection. 3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362 P337+P313	Take off contaminated clothing. If eye irritation persists: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
	ion: For Professional Use Only
 • 2.3 Other hazards • Results of PBT and 	VDVP appagement
• PBT: Not applicab	
	(Contd. on page 2)
	GB

Issue date: 11.09.2015

Version 1

Revision: 11.09.2015

Product name: DieselTune EGR and Induction System Cleaner

(Contd. of page 1)

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

· Description: Mixture: consisting of the following hazardous components.

· Dangerous components:		
CAS: 1310-73-2	sodium hydroxide	1-<2%
EINECS: 215-185-5	Skin Corr. 1A, H314	
	Nitrilotriacetic acid trisodium salt monohydrate	0.1-<1%
EC number: 606-091-9	Acute Tox. 3, H301; Carc. 2, H351; Eye Irrit. 2, H319	
. Additional information	tion: For the wording of the listed risk phrases refer to section 16	

Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Wash with soap and water for 20 minutes or until chemical is removed. Immediately remove all contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse and discard leather articles saturated with the material.

· After eye contact:

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

· After swallowing:

DO NOT INDUCE VOMITING. Drink plenty of water and provide fresh air. Call for a doctor immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Irritating to skin and eyes. Could cause dermititus. Will cause nausea and vomiting. Irritating to mouth, throat and stomach.

- · Information for doctor: Treat Symptomatically
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · 5.2 Special hazards arising from the substance or mixture
- See section 10 for additional information.
- · 5.3 Advice for firefighters
 - · Protective equipment:

Recommend wearing self-contained breathing apparatus. Water may cause splattering.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Avoid breathing vapors.

(Contd. on page 3)

GB

Issue date: 11.09.2015

Version 1

Revision: 11.09.2015

Product name: DieselTune EGR and Induction System Cleaner

(Contd. of page 2)

Personal protective equipment must be worn. Avoid contact with skin, eyes or clothing. Remove persons from danger area.

- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Use good personal hygiene practices

Avoid contact with the eyes and skin.

Avoid contact with clothing.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

· Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
 - **Requirements to be met by storerooms and receptacles:** See section 10 for incompatible materials.
 - Information about storage in one common storage facility:
 - Store only in the original receptacle.
 - Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

1310-73-2 sodium hydroxide (1-<2%)

WEL Short-term value: 2 mg/m³

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

Issue date: 11.09.2015

Version 1

Revision: 11.09.2015

Product name: DieselTune EGR and Induction System Cleaner

(Contd. of page 3)

· Protection of hands:



Chemical resistant protective gloves (EN 374)

· Eye protection:



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

SECTION 9: Physical and chem	ical properties
· 9.1 Information on basic physical and	chemical properties
· General Information	
· Appearance:	
· Form:	Liquid
· Colour:	Amber coloured
· Odour: · Odour threshold:	Mild Not determined.
· pH-value at 20 °C:	12.5
 Change in condition 	
 Melting point/Melting range: 	Undetermined.
 Boiling point/Boiling range: 	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
 Danger of explosion: 	Product does not present an explosion hazard.
 Explosion limits: 	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	1.02 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
 Evaporation rate 	Not determined.
· Solubility in / Miscibility with	
· water:	Fully miscible.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
· Kinematic:	Not determined.
	(Contd. on page 5)
	G

G

Issue date: 11.09.2015

Version 1

Revision: 11.09.2015

Product name: DieselTune EGR and Induction System Cleaner

		(Contd. of page 4)
 Solvent content: Organic solvents: 	0.0 %	
Solids content: 9.2 Other information	2.0 % No further relevant information available.	

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: acids
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
 - Acute toxicity
 - · LD/LC50 values relevant for classification:

Oral LD50 29851 mg/kg

1310-73-2 sodium hydroxide

Oral LD50 2000 mg/kg (rat)

18662-53-8 Nitrilotriacetic acid trisodium salt monohydrate

Oral LD50 100 mg/kg (ATE)

Primary irritant effect: Skin corrosion/irritation

- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- **Ingestion:** Irritating to mouth, throat and stomach.
- · Respiratory or skin sensitisation
- Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - Germ cell mutagenicity Based on available data, the classification criteria are not met. • Carcinogenicity
 - Suspected of causing cancer.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- \cdot STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

Issue date: 11.09.2015

Version 1

Revision: 11.09.2015

Product name: DieselTune EGR and Induction System Cleaner

(Contd. of page 5)

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:

1310-73-2 sodium hydroxide

LC50 (48 h) 125 mg/L (fish)

• 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

- 12.4 Mobility in soil No further relevant information available.
 - Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
 - **PBT:** Not applicable.
 - · vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number · ADR, IMDG, IATA	UN3266
 14.2 UN proper shipping name ADR 	UN3266 CORROSIVE LIQUID, BASIC INORGANIC, N.O.S. (SODIUM HYDROXIDE)
· IMDG, IATA	CORROSIVE LIQUID, BASIC, INORGANIC N.O.S. (SODIUM HYDROXIDE)
· 14.3 Transport hazard class(es)	
· ADR	
and the second s	
· Class	8 (C9) Corrosive substances.
· Label	8

Issue date: 11.09.2015

Version 1

Revision: 11.09.2015

Product name: DieselTune EGR and Induction System Cleaner (Contd. of page 6) · IMDG, IATA Class 8 Corrosive substances. · Label 8 · 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Warning: Corrosive substances. · Danger code (Kemler): 80 F-A,S-B · EMS Number: Alkalis Segregation groups · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: · ADR · Limited quantities (LQ) 1L · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Transport category 3 · Tunnel restriction code Е · IMDG · Limited quantities (LQ) 5L · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN3266, CORROSIVE LIQUID, BASIC, · UN "Model Regulation": INORGANIC, N.O.S. (SODIUM HYDROXIDE), 8, II

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No REACH Annex XVII restrictions

Contains no REACH candidate substance

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

Issue date: 11.09.2015

Version 1

Revision: 11.09.2015

Product name: DieselTune EGR and Induction System Cleaner

(Contd. of page 7)

This information is based on our present knowledge. However, this shall not constitute a guarant for any specific product features and shall not establish a legally valid contractual relationship.
· Issue Date: September 11, 2015
 Relevant phrases H301 Toxic if swallowed. H314 Causes severe skin burns and eye damage. H319 Causes serious eye irritation. H351 Suspected of causing cancer. Contact: Engineering Department Revision Changes: v 1.0 - original SDS release (September 11, 2015)
 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity, Hazard Category 3 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Skin Irrit. 2: Skrious eye damage/eye irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Carc. 2: Carcinogenicity, Hazard Category 2