### 1 Identification

- · Product identifier
  - · Trade name: CoolantClean CC6 Cooling System Treatment
    - · Part number: 400-1003
    - · Application of the substance / the mixture cooling system additive
- · Details of the supplier of the safety data sheet
  - · Manufacturer/Supplier:

Motorvac, division of, CPS Products Canada Ltd.

1324 Blundell Road

Mississauga, ON L4Y 1M5

Canada

Tel: (905) 615-8620

- · email of person responsible: customerservice@motorvac.com
- · Emergency telephone number:

CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

### 2 Hazard(s) identification

#### · Classification of the substance or mixture

Repr. 1B H360-H362 May damage fertility or the unborn child. May cause harm to breast-fed

children.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements
  - · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Potassium p-tert-Butylbenzoate

· Hazard statements

May damage fertility or the unborn child. May cause harm to breast-fed children.

Causes damage to organs through prolonged or repeated exposure.

Harmful to aquatic life with long lasting effects.

· Precautionary statements

Obtain special instructions before use.

Avoid contact during pregnancy/while nursing.

Use personal protective equipment as required.

Avoid release to the environment.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents in accordance with local regulations.

· Additional information: For Professional Use Only

(Contd. on page 2)

### Safety Data Sheet

Issue date: 02.12.2016 v 2 Last Revision Date: 01.12.2016

## Trade name: CoolantClean CC6 Cooling System Treatment

(Contd. of page 1)

- · Other hazards
  - · Results of PBT and vPvB assessment
    - · **PBT:** Not applicable.
    - · **vPvB**: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
  - · Description: Mixture: consisting of the following hazardous components.
  - · Chemical components:

16518-26-6 Potassium p-tert-Butylbenzoate

2.5-10%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

- · Description of first aid measures
  - · After inhalation: Supply fresh air; consult doctor in case of complaints.
  - · After skin contact: Immediately wash with water and soap and rinse thoroughly.
  - · After eye contact:

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

- After swallowing: Rinse out mouth. Do not induce vomiting. If symptoms persist consult doctor.
- · Information for doctor:
  - · Most important symptoms and effects, both acute and delayed No further relevant information available.
  - · Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5 Fire-fighting measures**

- · Extinguishing media
  - · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture See section 10 for additional information.
- Advice for firefighters
  - · Protective equipment:

Recommend wearing self-contained breathing apparatus. Water may cause splattering.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
   Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3)

### Safety Data Sheet

Issue date: 02.12.2016 v 2 Last Revision Date: 01.12.2016

## Trade name: CoolantClean CC6 Cooling System Treatment

(Contd. of page 2)

#### · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

#### · Handling:

### · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

#### · Information about protection against explosions and fires:

Keep respiratory protective device available.

#### · Conditions for safe storage, including any incompatibilities

- · Storage:
  - · Requirements to be met by storerooms and receptacles:

See section 10 for incompatible materials.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

### · Control parameters

#### · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.

#### Exposure controls

### · Personal protective equipment:

### · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Store protective clothing separately.

### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Chemical resistant protective gloves

(Contd. on page 4)

# Safety Data Sheet

Issue date: 02.12.2016 v 2 Last Revision Date: 01.12.2016

# Trade name: CoolantClean CC6 Cooling System Treatment

# · Eye protection:





Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

9 Physical and chemical propertie	es	
	· Information on basic physical and chemical properties	
General Information		
· Appearance:	I family	
· Form: · Color:	Liquid	
· Odor:	Light yellow Odorless	
· Odor threshold:	Not determined.	
· pH-value at 20 °C:	9.6-10.4	
<u> </u>	0.0 10.1	
<ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> </ul>	Undetermined.	
Boiling point/Meiting range:	Undetermined.	
<u> </u>		
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Vapor pressure:	Not determined.	
· Density:	Not determined.	
<ul> <li>Relative density at 20 °C</li> </ul>	1.17-1.20	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:		
Dynamic:	Not determined.	
· Kinematic:	Not determined.	

(Contd. on page 5)

## Trade name: CoolantClean CC6 Cooling System Treatment

(Contd. of page 4)

· Other information

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
  - Chemical stability
    - · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid High temperatures
- · Incompatible materials: Strong acids. Oxidizing agents. Strong alkalis.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

### 11 Toxicological information

- Information on toxicological effects
  - · Acute toxicity:
    - · LD/LC50 values that are relevant for classification:

### ATE (Acute Toxicity Estimates)

Oral LD50 16667 mg/kg

#### 16518-26-6 Potassium p-tert-Butylbenzoate

Oral LD50 500 mg/kg (ATE)

- · Primary irritant effect:
  - on the skin:

May cause mild skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis.

- on the eye: May cause eye irritation.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

p. opa.	proparations.	
· IARC (International Agency for Research on Cancer)		
67-63-0	propan-2-ol	3
123-91-1	1,4-dioxane	2B
75-21-8	ethylene oxide	1
· NTP (National Toxicology Program)		
123-91-1	1,4-dioxane	R
75-21-8	ethylene oxide	K
· OSHA-Ca (Occupational Safety & Health Administration)		
75-21-8	ethylene oxide	

## Trade name: CoolantClean CC6 Cooling System Treatment

(Contd. of page 5)

## 12 Ecological information

- · Toxicity
  - · Aquatic toxicity: Harmful to aquatic life with long lasting effects.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
  - · Bioaccumulative potential No further relevant information available.
  - · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
  - · Remark: Harmful to fish
- · Additional ecological information:
  - · General notes:

Generally not hazardous for water Harmful to aquatic organisms

- Results of PBT and vPvB assessment
  - · **PBT:** Not applicable.
  - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
  - · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
  - · Recommendation: Disposal must be made according to official regulations.

UN-Number		
· DOT, IMDG, IATA	Not Regulated	
TDG	Not Regulated	
UN proper shipping name		
· DOT, IMDG, IATA	Not Regulated	
·TDG	Not Regulated	
Transport hazard class(es)		
· DOT, IMDG, IATA		
· Class	Not Regulated	
· TDG	<b>0</b>	
· Class	Not Regulated	
Packing group		
· DOT, IMDĠ, IATA	Not Regulated	
· TDG	Not Regulated	

(Contd. on page 7)

# Trade name: CoolantClean CC6 Cooling System Treatment

	(Contd. of page 6)
Not applicable.	
Not applicable.	
II of	
Not applicable.	
Not Regulated	
	Not applicable.  Il of  Not applicable.

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
  - · Sara

· Section 355 (extremely hazardous substances):		
75-21-8 et	75-21-8 ethylene oxide	
· S	· Section 313 (Specific toxic chemical listings):	
7632-00-0	sodium nitrite	
	propan-2-ol	
107-21-1	ethanediol	
	1,4-dioxane	
75-21-8	ethylene oxide	

### · TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:		
123-91-1 1,4-dioxane		
75-21-8	ethylene oxide	
	· Chemicals known to cause reproductive toxicity for females:	
75-21-8	75-21-8 ethylene oxide	
· Chemicals known to cause reproductive toxicity for males:		
75-21-8 ethylene oxide		
· Chemicals known to cause developmental toxicity:		
107-21-1	ethanediol	
75-21-8	ethylene oxide	

### · Carcinogenic categories

· EPA (Environmental Protection Agency)			
123-91-1	1,4-dioxane	L	
	· TLV (Threshold Limit Value established by ACGIH)		
67-63-0	propan-2-ol	A4	
107-21-1	ethanediol	A4	
123-91-1	1,4-dioxane	А3	
	(Contd. on p	age 8)	

NA

# Trade name: CoolantClean CC6 Cooling System Treatment

75-21-8	ethylene oxide (Contd. of page 7)		
•	NIOSH-Ca (National Institute for Occupational Safety and Health)		
123-91-1	1,4-dioxane		
75-21-8	ethylene oxide		
· Ca	nadian substance listings:		
•	Canadian Domestic Substances List (DSL)		
16518-26	S-6 Potassium p-tert-Butylbenzoate		
7632-00	0-0 sodium nitrite		
67-63	3-0 propan-2-ol		
107-21	-1 ethanediol		
123-91	-1 1,4-dioxane		
75-21	-8 ethylene oxide		
•	Canadian Ingredient Disclosure list (limit 0.1%)		
None of t	None of the ingredients is listed.		
•	· Canadian Ingredient Disclosure list (limit 1%)		
None of t	None of the ingredients is listed.		

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Contact: Engineering Department
  - · Issue Date 02/DEC/2016
  - · Revision Changes:

v 1.0 - original SDS release (09/JUL/2015)

v 2.0 - revised formula (02/DEC/2016)

#### Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

Repr. 1B: Reproductive toxicity – Category 1B STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

NA