Issue date: 11/30/2015	v 1	Last Revision Date: 11/30/2015
------------------------	-----	--------------------------------

1 Identification

· Product identifier

• Trade name: Automatic Transmission Cleaner

- · Part number: 400-0130EU
- · Application of the substance / the mixture automatic transmission cleaner

· Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Motorvac, division of, CPS Products Canada Ltd 1324 Blundell Road Mississauga, ON, L4Y 1M5 Canada Phone: (905) 615-8620 email: customerservice@motorvac.com

· Emergency telephone number:

CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

2 Hazard(s) identification

Classified according to the criteria of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS), OSHA Hazardous Communication Standard (29 CFR 1910.1200) and the Canadian Controlled Products Regulations.

· Classification of the substance or mixture

Flam. Liq. 3 H226 Flammable liquid and vapor.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

- Hazard-determining components of labeling:
 4-methylpentan-2-ol oleic acid, pure
- Hazard statements
- Flammable liquid and vapor. May cause respiratory irritation.
- Precautionary statements
- Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Call a POISON CENTER/doctor if you feel unwell.

In case of fire: Use for extinction: CO2, sand, extinguishing powder.

- Store locked up.
- Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information: For Professional Use Only

(Contd. on page 2)

NA

Trade name: Automatic Transmission Cleaner

(Contd. of page 1)

· Other hazards

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture: consisting of the following hazardous components.

· Chemical components:

-		
108-11-2	4-methylpentan-2-ol	10-<25%
112-80-1	oleic acid, pure	2.5-<10%

112-80-1 oleic acid, pure

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Wash with plenty of soap and water. Remove contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.

After eye contact:

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

After swallowing:

Rinse mouth with water.

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If conscious, give small quantities of water to drink.

Stop if victim feels sick.

Do not induce vomitting.

If symptoms persist consult doctor.

Information for doctor: Treat Symptomatically

Most important symptoms and effects, both acute and delayed Coughing

- May cause respiratory tract irritation.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water

Special hazards arising from the substance or mixture

See section 10 for additional information.

· Advice for firefighters

Protective equipment:

Wear full protective firegear including self-containing breathing apparatus operated in the positive pressure mode with full facepiece, coat, pants, gloves and boots. Do not use a water jet.

(Contd. on page 3)

Trade name: Automatic Transmission Cleaner

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Use respiratory protective device against the effects of fumes/dust/aerosol. Remove persons from danger area. Avoid breathing vapor or mist. Do not touch or walk through spilled material. **Environmental precautions:** Inform respective authorities in case of seepage into water course or sewage system. Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smokina. Prevent from spreading (e.g. by damming-in or oil barriers). Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Do not flush with water or aqueous cleansing agents Reference to other sections
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

- Precautions for safe handling
- Avoid contact with the eyes and skin.
- Avoid contact with clothing.
- Use only in well ventilated areas.
- Avoid splashes or spray in enclosed areas. Keep in the original containers.
- See section 8 for personal protective equipment.
- Do not reuse container.
- Information about protection against explosions and fires:
 - Keep ignition sources away Do not smoke.
 - Protect against electrostatic charges.
 - Keep away from ignition sources and high temperature materials.

Conditions for safe storage, including any incompatibilities Storage:

- Requirements to be met by storerooms and receptacles:
- See section 10 for incompatible materials.
- Information about storage in one common storage facility: Store away from water.
- Store in a cool dry place in tightly closed containers.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

(Contd. on page 4)

Г

v 1

Trade name: Automatic Transmission Cleaner

(Contd. of page 3)

8 Exposure of	controls/personal protection		
· Control para	· Control parameters		
Compone	nts with limit values that require monitoring at the workplace:		
	ethylpentan-2-ol (10-<25%)		
PEL (USA)	TWA: 100 mg/m³, 25 ppm Skin		
REL (USA)	STEL: 165 mg/m³, 40 ppm TWA: 100 mg/m³, 25 ppm Skin		
TLV (USA)	STEL: 167 mg/m³, 40 ppm TWA: 104 mg/m³, 25 ppm Skin		
EL (Canada)	STEL: 40 ppm TWA: 25 ppm Skin		
EV (Canada)	STEL: 167 mg/m³, 40 ppm TWA: 104 mg/m³, 25 ppm Skin		
Do not Remov Protect	 hands before breaks and at the end of work. eat, drink, smoke or sniff while working. e all soiled and contaminated clothing. tion of hands: Chemical resistant protective gloves otection: Safety glasses. If potential for splash or mist exists, wear chemical goggles of faceshield. 		
	nd chemical properties on basic physical and chemical properties		
General Ir Appear Forr Colo	nformation rance: m: Fluid		
· Odor:	Mild		
· Odor tl	neshold. Not determined.		
Odor ti pH-value:			

Last Revision Date: 11/30/2015

Trade name: Automatic Transmission Cleaner

	(Contd. of page 4
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 131 °C
· Flash point:	45 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	305 °C
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation o explosive air/vapor mixtures are possible.
Explosion limits: Lower: Upper:	1.0 Vol % 5.5 Vol %
· Vapor pressure at 20 °C:	7 hPa
 Density: Relative density Vapor density Evaporation rate 	Not determined. Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wa	iter): Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Organic solvents: Other information	0.0 % No further relevant information available.

10 Stability and reactivity

• **Reactivity** No further relevant information available.

· Chemical stability

Thermal decomposition / conditions to be avoided:

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat, open flames, sparks.

· Incompatible materials: Strong Oxidizers

· Hazardous decomposition products: May include, and are not limited to: oxides of carbon.

(Contd. on page 6)

Trade name: Automatic Transmission Cleaner

(Contd. of page 5)

108-11 Oral	
Oral	-2 4-methylpentan-2-ol
	LD50 2590 mg/kg (rat)
	I LD50 3560 mg/kg (rabbit)
)-1 oleic acid, pure
Oral	LD50 74000 mg/kg (rat)
·F	Primary irritant effect: · on the skin:
	May cause mild skin irritation. Prolonged or repeated skin contact as from clothing we with material may cause dermatitis.
	May cause eye irritation. Symptons may include discomfort or pain, excessive blinkin
	and tear production, with possible redness and swelling. · Inhalation:
	Inhalation: May cause respiratory tract irritation.
	Inhalation: May cause respiratory tract irritation. coughing
	Inhalation: May cause respiratory tract irritation. coughing Sensitization: No sensitizing effects known.
· Add	Inhalation: May cause respiratory tract irritation. coughing Sensitization: No sensitizing effects known. ditional toxicological information:
· Add	Inhalation: May cause respiratory tract irritation. coughing Sensitization: No sensitizing effects known. ditional toxicological information: Carcinogenic categories
Adc (Inhalation: May cause respiratory tract irritation. coughing Sensitization: No sensitizing effects known. ditional toxicological information:
Adc (Inhalation: May cause respiratory tract irritation. coughing Sensitization: No sensitizing effects known. ditional toxicological information: Carcinogenic categories IARC (International Agency for Research on Cancer)
· Add	Inhalation: May cause respiratory tract irritation. coughing Sensitization: No sensitizing effects known. ditional toxicological information: Carcinogenic categories IARC (International Agency for Research on Cancer) of the ingredients is listed.
· Add	Inhalation: May cause respiratory tract irritation. coughing Sensitization: No sensitizing effects known. ditional toxicological information: Carcinogenic categories IARC (International Agency for Research on Cancer) of the ingredients is listed. NTP (National Toxicology Program)

· Toxicity

Aquatic toxicity:

112-80-1 oleic acid, pure

LC50 (96 h) 205 mg/L (fish)

• Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

Bioaccumulative potential

108-11-2 4-methylpentan-2-ol

Bioaccumulation LogPow 1.43 (-) (potential low)

112-80-1 oleic acid, pure

Bioaccumulation LogPow 7.73 (-) (potential high)

Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 7)

NA

(Contd. of page 6)

v 1

Last Revision Date: 11/30/2015

Trade name: Automatic Transmission Cleaner

Danger to drinking water if even small quantities leak into the ground.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

· UN-Number · DOT	UN1993
· IMDG, IATA	UN2053
· UN proper shipping name · DOT	Flammable liquids, n.o.s. (Methyl isobut carbinol)
· IMDG, IATA	METHYL ISOBUTYL CARBINOL mixture
Transport hazard class(es)	
DOT	
RAIMARE LUCID	
· Class · Label	3 Flammable liquids 3
· IMDG, IATA	
· Class	3 Flammable liquids
· Label	3
Packing group • DOT, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler): EMS Number:	30 F-E,S-D

NA

Last Revision Date: 11/30/2015

Trade name: Automatic Transmission Cleaner

	(Contd. of page 7)
 Transport in bulk according to Annex II MARPOL73/78 and the IBC Code 	l of Not applicable.
· Transport/Additional information:	
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2053 METHYL ISOBUTYL CARBINOL MIXTURE, 3, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture


· Sara

· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
All ingredients are listed.
· Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
· Carcinogenic categories
· EPA (Environmental Protection Agency)
None of the ingredients is listed.
• TLV (Threshold Limit Value established by ACGIH)
None of the ingredients is listed.
• NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients is listed.
· Canadian substance listings:
· Canadian Domestic Substances List (DSL)
All ingredients are listed.

(Contd. on page 9)

NA

Trade name: Automatic Transmission Cleaner



16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact: Engineering Department

- · Issue Date November 30, 2015
- **Revision Changes:** v 1.0 original SDS release (November 30, 2015)

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Liq. 3: Flammable liquids, Hazard Category 3 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3